

You are here: [Home](#) > [Projects](#) > [SSL Server Test](#) > www.cibc.com

SSL Report: www.cibc.com (104.100.58.69)

Assessed on: Tue, 16 Oct 2018 18:55:48 UTC | **HIDDEN** | [Clear cache](#)

[Scan Another »](#)

Summary

Overall Rating

A

Certificate

Protocol Support

Key Exchange

Cipher Strength

0 20 40 60 80 100

Visit our [documentation page](#) for more information, configuration guides, and books. Known issues are documented [here](#).

Certificate #1: RSA 2048 bits (SHA256withRSA)



Server Key and Certificate #1

Subject	www.cibc.com Fingerprint SHA256: 5929562d645d57dc2cb4fa4de7ef4d6fd3975fbd3004ffe5bd7cbb4d353e5ae Pin SHA256: q8WeYr75v0xgjrG91y//YdrpZ5a259shVZzjA6qZnuo=
Common names	www.cibc.com
Alternative names	pilot.www.cibc.com cibc.com cibc.ca www.cibconline.cibc.com www.cibc.us cibc.us www.cibc.com www.cibc.ca pilot.cibconline.cibc.com
Serial Number	05f12e2226ac7997a4ce1fb74759a433
Valid from	Mon, 14 May 2018 00:00:00 UTC
Valid until	Wed, 13 May 2020 12:00:00 UTC (expires in 1 year and 6 months)
Key	RSA 2048 bits (e 65537)
Weak key (Debian)	No
Issuer	DigiCert SHA2 Secure Server CA AIA: http://cacerts.digicert.com/DigiCertSHA2SecureServerCA.crt
Signature algorithm	SHA256withRSA
Extended Validation	No
Certificate Transparency	Yes (certificate)
OCSP Must Staple	No
Revocation information	CRL, OCSP CRL: http://crl3.digicert.com/ssca-sha2-g6.crl OCSP: http://ocsp.digicert.com
Revocation status	Good (not revoked)
DNS CAA	No (more info)
Trusted	Yes Mozilla Apple Android Java Windows



Additional Certificates (if supplied)

Certificates provided	3 (3987 bytes)
Chain issues	Contains anchor

Additional Certificates (if supplied)

#2

Subject	DigiCert SHA2 Secure Server CA Fingerprint SHA256: 154c433c491929c5ef686e838e323664a00e6a0d82ccc958fb4dab03e49a08f Pin SHA256: 5kJvNEMw0KjrcAu7eXY5HZdvyCS13BbA0VJG1RSP91w=
Valid until	Wed, 08 Mar 2023 12:00:00 UTC (expires in 4 years and 4 months)
Key	RSA 2048 bits (e 65537)
Issuer	DigiCert Global Root CA
Signature algorithm	SHA256withRSA

#3

Subject	DigiCert Global Root CA In trust store Fingerprint SHA256: 4348a0e9444c78cb265e058d5e8944b4d84f9662bd26db257f8934a443c70161 Pin SHA256: r/mlkG3eEpVdm+u/ko/cwxzOMo1bk4TyHIIByibiA5E=
Valid until	Mon, 10 Nov 2031 00:00:00 UTC (expires in 13 years)
Key	RSA 2048 bits (e 65537)
Issuer	DigiCert Global Root CA Self-signed
Signature algorithm	SHA1withRSA Weak, but no impact on root certificate



Certification Paths



[Click here to expand](#)

Configuration



Protocols

TLS 1.3	No
TLS 1.2	Yes
TLS 1.1	Yes
TLS 1.0	Yes
SSL 3	No
SSL 2	No

For TLS 1.3 tests, we only support RFC 8446.



Cipher Suites

TLS 1.2 (suites in server-preferred order)



TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030)	ECDH secp256r1 (eq. 3072 bits RSA) FS	256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02f)	ECDH secp256r1 (eq. 3072 bits RSA) FS	128
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 (0xc0a8)	ECDH secp256r1 (eq. 3072 bits RSA) FS	256 ^P
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xc028)	ECDH secp256r1 (eq. 3072 bits RSA) FS	256
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 (0xc027)	ECDH secp256r1 (eq. 3072 bits RSA) FS	128
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014)	ECDH secp256r1 (eq. 3072 bits RSA) FS	256
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013)	ECDH secp256r1 (eq. 3072 bits RSA) FS	128
TLS_RSA_WITH_AES_256_GCM_SHA384 (0x9d) WEAK		256
TLS_RSA_WITH_AES_128_GCM_SHA256 (0x9c) WEAK		128
TLS_RSA_WITH_AES_256_CBC_SHA256 (0x3d) WEAK		256
TLS_RSA_WITH_AES_128_CBC_SHA256 (0x3c) WEAK		128
TLS_RSA_WITH_AES_256_CBC_SHA (0x35) WEAK		256
TLS_RSA_WITH_AES_128_CBC_SHA (0x2f) WEAK		128
TLS_RSA_WITH_3DES_EDE_CBC_SHA (0xa) WEAK		112

Cipher Suites

TLS 1.1 (suites in server-preferred order) +

TLS 1.0 (suites in server-preferred order) +

(P) This server prefers ChaCha20 suites with clients that don't have AES-NI (e.g., Android devices)



Handshake Simulation

Android 2.3.7 No SNI²	RSA 2048 (SHA256)	TLS 1.0	TLS_RSA_WITH_AES_128_CBC_SHA	No FS
Android 4.0.4	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1 FS
Android 4.1.1	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1 FS
Android 4.2.2	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1 FS
Android 4.3	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1 FS
Android 4.4.2	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Android 5.0.0	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 6.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 7.0	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256	ECDH secp256r1 FS
Baidu Jan 2015	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1 FS
BingPreview Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Chrome 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Chrome 69 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Chrome 70 / Win 10	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Firefox 31.3.0 ESR / Win 7	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Firefox 47 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Firefox 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Firefox 62 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Googlebot Feb 2018	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
IE 7 / Vista	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1 FS
IE 8 / XP No FS¹ No SNI²	RSA 2048 (SHA256)	TLS 1.0	TLS_RSA_WITH_3DES_EDE_CBC_SHA	
IE 8-10 / Win 7 R	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1 FS
IE 11 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
IE 11 / Win 8.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
IE 10 / Win Phone 8.0	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1 FS
IE 11 / Win Phone 8.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256	ECDH secp256r1 FS
IE 11 / Win Phone 8.1 Update R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
IE 11 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Edge 15 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Edge 13 / Win Phone 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Java 6u45 No SNI²	RSA 2048 (SHA256)	TLS 1.0	TLS_RSA_WITH_AES_128_CBC_SHA	No FS
Java 7u25	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1 FS
Java 8u161	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
OpenSSL 0.9.8y	RSA 2048 (SHA256)	TLS 1.0	TLS_RSA_WITH_AES_256_CBC_SHA	No FS
OpenSSL 1.0.1l R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
OpenSSL 1.0.2e R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Safari 5.1.9 / OS X 10.6.8	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1 FS
Safari 6 / iOS 6.0.1	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
Safari 6.0.4 / OS X 10.8.4 R	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1 FS
Safari 7 / iOS 7.1 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
Safari 7 / OS X 10.9 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
Safari 8 / iOS 8.4 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
Safari 8 / OS X 10.10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
Safari 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Safari 9 / OS X 10.11 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS

Handshake Simulation

Safari 10 / iOS 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
Safari 10 / OS X 10.12 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
Apple ATS 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
Yahoo Slurp Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
YandexBot Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS

Not simulated clients (Protocol mismatch)

[IE 6 / XP](#) No FS¹ No SNI² Protocol mismatch (not simulated)

(1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.

(2) No support for virtual SSL hosting (SNI). Connects to the default site if the server uses SNI.

(3) Only first connection attempt simulated. Browsers sometimes retry with a lower protocol version.

(R) Denotes a reference browser or client, with which we expect better effective security.

(All) We use defaults, but some platforms do not use their best protocols and features (e.g., Java 6 & 7, older IE).

(All) Certificate trust is not checked in handshake simulation, we only perform TLS handshake.



Protocol Details

	No, server keys and hostname not seen elsewhere with SSLv2
DROWN	<p>(1) For a better understanding of this test, please read this longer explanation</p> <p>(2) Key usage data kindly provided by the Censys network search engine; original DROWN website here</p> <p>(3) Censys data is only indicative of possible key and certificate reuse; possibly out-of-date and not complete</p>
Secure Renegotiation	Supported
Secure Client-Initiated Renegotiation	Yes
Insecure Client-Initiated Renegotiation	No
BEAST attack	Not mitigated server-side (more info) TLS 1.0: 0xc014
POODLE (SSLv3)	No, SSL 3 not supported (more info)
POODLE (TLS)	No (more info)
Downgrade attack prevention	Yes, TLS_FALLBACK_SCSV supported (more info)
SSL/TLS compression	No
RC4	No
Heartbeat (extension)	No
Heartbleed (vulnerability)	No (more info)
Ticketbleed (vulnerability)	No (more info)
OpenSSL CCS vuln. (CVE-2014-0224)	No (more info)
OpenSSL Padding Oracle vuln. (CVE-2016-2107)	No (more info)
ROBOT (vulnerability)	No (more info)
Forward Secrecy	With modern browsers (more info)
ALPN	Yes h2 h2-14 http/1.1
NPN	Yes http/1.1 http/1.0
Session resumption (caching)	Yes
Session resumption (tickets)	Yes
OCSP stapling	Yes
Strict Transport Security (HSTS)	No
HSTS Preloading	Not in: Chrome Edge Firefox IE
Public Key Pinning (HPKP)	No (more info)
Public Key Pinning Report-Only	No
Public Key Pinning (Static)	No (more info)
Long handshake intolerance	No
TLS extension intolerance	No
TLS version intolerance	No
Incorrect SNI alerts	No
Uses common DH primes	No, DHE suites not supported
DH public server param (Ys) reuse	No, DHE suites not supported
ECDH public server param reuse	No
Supported Named Groups	secp256r1, x25519 (server preferred order)

Protocol Details

SSL 2 handshake compatibility Yes



HTTP Requests



- 1 <https://www.cibc.com/> (HTTP/1.1 301 Moved Permanently)
- 2 <https://www.cibc.com/en/personal-banking.html> (HTTP/1.1 200 OK)



Miscellaneous

Test date Tue, 16 Oct 2018 18:54:16 UTC

Test duration 92.103 seconds

HTTP status code 200

HTTP server signature Apache

Server hostname a104-100-58-69.deploy.static.akamaitechnologies.com

SSL Report v1.32.6

Copyright © 2009-2018 [Qualys, Inc.](#) All Rights Reserved.

[Terms and Conditions](#)

Qualys is the leading provider of integrated [infrastructure security](#), [cloud infrastructure security](#), [endpoint security](#), [devsecops](#), [compliance](#) and [web app security](#) solutions.