

# tar

Tar unlike zip allow you to keep permissions. As such it is the defacto utility for making backups. Also if you can keep your user UIDs consistent across environments, tar allows for quick disaster recovery.

This article still needs to be completed.

## Must Read

Before using tar there are one critical behaviour to understand, always tar using relative paths. Otherwise you risk overwriting your data when untaring.

Put an example of that here with more details.

## Create linux tar gz (Gzip) archive

```
tar -czvf myarchive.tar.gz ./mydirectory/
```

The **f** flag **must** come at the end or you will get an error.

Here is what each flag does,

**-c, --create** create a new archive

...

Note that **.tar.gz** is the same thing as **.tgz**.

## Extracting

Extract linux tar gz (Gzip) archive and note the The **f** flag **must** come at the end or you will get an error.

```
tar -xzvf mystuff.tgz
```

In some scenarios, you are moving between systems and want to extract maintaining permissions of users external to yourself. In this scenario you must ensure you UIDs are the same across systems,

```
sudo tar -xzvf mystuff.tgz
```

....

We use **-x** to extract the files from the tar archive  
**-x, --extract, --get** extract files from an archive

**Extract linux tar archive to speciefied directory**  
`tar -xvzf filename.tar.gz -C /desired/path`

And now let us shortly explain this command

**Usage:** tar [OPTION]... [FILE]...

Let us check the option used in this example

```
-c,  -create           create a new archive
-Z,  -gzip,  -ungzip   filter the archive through gzip
-v,  -verbose        verbosely list files processed
-f, -file=ARCHIVE     use archive file or device ARCHIVE

-C           directory file
Performs a chdir operation on directory and performs the c (create) or r (replace) operation on file .
In c and r mode, this changes the directory before adding the following files. In x mode, change directories after opening the archive but before
extracting entries from the archive.
```

## Testing / viewing your archive

```
tar -tvf myarchive.tar
tar -tzvf myarchive.tgz

Here we used the -t option
-t, -list list the contents of an archive
```

## Backing Data

Tar can be used to backup an entire directory keeping all permissions and users accounts intact. The trick is to use sudo to keep the permissions intact.

Also, using this method, tar up a real directory, not a symbolic link to one.

In this case, order of the switches (zcvpf) does matter. Otherwise, you will get an error (record the error here) once the tar command finishes.

```
# To tar the directory
sudo tar -zcvpf tarfile.tar.gz ./folder/

# To untar and gunzip the file in one command
sudo tar -zxvpf tarfile.tar.gz

# Encrypting a tar
...
```

Explanation about why -v does not work in a script without output to file.—Roderick

Using tar in a backup script run in cron

```
sudo tar -zcpf $BACKUPDIR/nameofbackupfile.tar.gz /path/to/directory &&
echo "Completed OK" > /home/user/log.txt
```